

Major histocompatibility complex class I variability of the common tern (*Sterna hirundo*) in Europe.

Galov, Ana; Lončar, Veronika; Kralj, Jelena; Minias, Piotr; Włodarczyk, Radosław; Pavlinec, Željko; Piro, Simon; Herrmann, Christof; Škornik, Iztok; Tome, Davorin; ...

Conference presentation / Izlaganje na skupu

Permanent link / Trajna poveznica: <https://um.nsk.hr/um:nbn:hr:288:843503>

Rights / Prava: [In copyright](#) / [Zaštićeno autorskim pravom](#).

Download date / Datum preuzimanja: **2025-02-22**



Repository / Repozitorij:

repozitory.casa.hr

Abstracts



LUNDS
UNIVERSITET

EOU 2023

14TH EUROPEAN ORNITHOLOGISTS' UNION CONGRESS | DEPARTMENT OF BIOLOGY | LUND UNIVERSITY



Major histocompatibility complex class I variability of the common tern (*Sterna hirundo*) in Europe

Ana Galov [ORCID iD](#)¹, Veronika Lončar [ORCID iD](#)¹, Jelena Kralj [ORCID iD](#)², Piotr Minias [ORCID iD](#)³, Radoslaw Wlodarczyk [ORCID iD](#)³, Željko Pavlinec [ORCID iD](#)², Simon Piro [ORCID iD](#)⁴, Christof Herrmann⁵, Iztok Škornik [ORCID iD](#)⁶, Davorin Tome [ORCID iD](#)⁷, Gyula Kovács [ORCID iD](#)⁸, Bálint Preiszner [ORCID iD](#)⁹, Péter Szinai [ORCID iD](#)^{10,11}, Stefano Volponi [ORCID iD](#)¹²

¹Faculty of Science University of Zagreb, Zagreb, Croatia. ²Croatian Academy of Sciences and Arts, Zagreb, Croatia. ³Department of Biodiversity Studies and Bioeducation, Faculty of Biology and Environmental Protection, University of Łódź, Łódź, Poland. ⁴Vogelwarte, Zoological Institute and Museum, University of Greifswald, Greifswald, Germany. ⁵Agency for Environment, Nature Conservation and Geology Mecklenburg- Vorpommern, Hiddensee Bird Ringing Scheme, Güstrow, Germany. ⁶Sečovlje Salina Nature Park, Soline Pridelava Soli d.o.o., Portorož, Slovenia. ⁷National Institute of Biology, Ljubljana, Slovenia. ⁸BirdLife Hungary South-Balaton Local Group, Balatonlelle, Hungary. ⁹Balaton Limnological Research Institute, Eötvös Loránd Research Network, Tihany, Hungary. ¹⁰Balaton-felvidéki National Park Directorate, Csopak, Hungary. ¹¹Bird Ringing and Migration Study Group of BirdLife Hungary, Budapest, Hungary. ¹²Italian Institute for Environmental Protection and Research, Roma, Italy

Abstract

The common tern (*Sterna hirundo*) is a colonial migratory bird of the gull family (Laridae) that breeds in colonies or solitarily in the Northern Hemisphere, while spending the winter in the warmer regions of the Southern Hemisphere. Its freshwater nesting habitats include riverbanks and gravel islands, but terns also nest in estuarine and marine habitats like low-lying coasts or small uninhabited islands with sparse vegetation. Although it is listed as „least concern“ on the IUCN list, it has shown population declines in several European countries due to habitat destruction and human disturbances. The major histocompatibility complex (MHC) plays a crucial role in the adaptive immune response of vertebrates and represents an effective adaptive genetic marker in population genetics studies due to its extreme polymorphism. In particular, MHC class I genes are key for animal defence against viral infections. In this study, we analysed 273 bp of exon 3 of MHC class I genes with the aim to assess the adaptive genetic diversity of common tern populations from five European countries using targeted next generation sequencing. We successfully genotyped 271 tern samples and identified a total of 191 alleles, including 70 novel ones. We found three to eight alleles per individual. The most common allele was found in 51.7% of the samples. In the analysis of samples assigned to three groups (northern, southern marine and southern inland), the total number of alleles found per group was 113, 98 and 135, respectively, and only 47 were shared among them.

Synopsis

NA